

EC type-examination certificate

The undersigned Notified Body declares, on the basis of the assessment of the tests (the results of which are referenced in the report mentioned below) and the technical documentation provided by the applicant

Jiangsu Baoxiang Sports Equipment Co., Ltd.
No.2 Renmin Road, Yinji Town, Jinhua County,
Huai'an City, Jiangsu Province, 211644
China

that the type of the toy complies with the essential safety requirements of Directive 2009/48/EC.

Manufacturing plant: **Jiangsu Baoxiang Sports Equipment Co., Ltd.**
No.2 Renmin Road, Yinji Town,
Jinhua County, Huai'an City,
Jiangsu Province, 211644 China

Description of product: **See annex 1**

Test in accordance with: **EN71-1:2011**
EN71-2:2011
EN71-3:2013
prEN71-14:2012
TÜV NORD Prüfprogramm M12/13



Registered No. 44 791 13771201
Test Report No. TRH2P1308106/01
File reference 2.4-4255/13 / 3513 3081

Valid from 2014-01-07
Valid until 2019-01-06



TÜV NORD CERT GmbH
Zertifizierungsstelle Konsumgüter
Certification Body Consumer Products
Benannte Stelle 0044 / Notified Body 0044

Essen, 2014-01-07

TÜV NORD CERT GmbH Langemarckstraße 20 45141 Essen www.tuev-nord-cert.de prodcert@tuev-nord.de

Bitte beachten Sie auch die umseitigen Hinweise
Please also pay attention to the information stated overleaf

ANNEX

Annex 1, page 1 of 2

to EC type-examination certificate Registration No. 44 791 13771201

Detailed description of the design and manufacture, including a list of components and materials used in the toy

Product description:

Trampoline with safety nets. Blue pad covering;
Openings with Zipper

Remark on type description:

A: enclosure including edge system
B: enclosure excluding edge system

PX-6102-55A/B: Ø1397mm, H359mm, max. 25kg	PX-6102-8(3W)A/B: Ø2450mm, H590mm, max. 80kg
PX-6102-10(3W)A/B: Ø3050mm, H760mm, max. 100kg	PX-6102-10(4W)A/B: Ø3050mm, H760mm, max. 150kg
PX-6102-12(4W)A/B: Ø3660mm, H900mm, max. 150kg	PX-6102-14(4W)A/B: Ø4267.2mm, H900mm, max. 120kg
PX-6102-14(5W)A/B: Ø4260mm, H900mm, max. 150kg	PX-6102-15(6W)A/B: Ø4572mm, H900mm, max. 150kg
PX-6102-8(3WT)A/B: Ø2450mm, H590mm, max. 150kg	



TÜV NORD CERT GmbH
Zertifizierungsstelle Konsumgüter
Certification Body Consumer Products
Benannte Stelle 0044 / Notified Body 0044

Essen, 2014-01-07

ANNEX

Annex 1, page 2 of 2

to EC type-examination certificate Registration No. 44 791 13771201

Detailed description of the design and manufacture, including a list of components and materials used in the toy

Component list

Top rail
Top rail with welded socket
Support Tube
Leg
Spring
Rope
Mat
Safety Mesh

Material list

Steel Q195, Galvanized
Steel Q195, Galvanized
Steel Q195, Galvanized
Steel Q195, Galvanized
Steel 70#, Zinc coating (except: PX-6102-55A/B)
PP+Latex (PX-6102-55A/B)
PP
PE (color: black)
Height: 1.5 m (PX-6102-55A/B; PX-6102-8(3W)A/B;
PX-6102-8(3WT)A/B)
Height: 1.8 m (all other types)
PVC / PE (color: blue, Foam thickness: 20 mm)
Type: PX-6103-59 for trampoline with height of 590 mm
Type: PX-6103-76 for trampoline with height of 760 mm
Type: PX-6103-90 for trampoline with height of 900 mm
3 anchors fixed in cement for type: PX-6102-8(3WT)A/B

Safety Pad
Ladder (optional)

Permanent Anchor



TÜV NORD CERT GmbH
Zertifizierungsstelle Konsumgüter
Certification Body Consumer Products
Benannte Stelle 0044 / Notified Body 0044

Essen, 2014-01-07